

Due: Saturday, 9/27, 4:00 PM
Grace period until Saturday, 9/27, 6:00 PM
Remember to show your work for all problems!

Sundry

Before you start writing your final homework submission, state briefly how you worked on it. Who else did you work with? List names and email addresses. (In case of homework party, you can just describe the group.) If you used an LLM, place transcripts of your chats here.

1 Modular Practice

Note 6

Solve the following modular arithmetic equations for x and y . For each subpart, show your work and justify your answers.

- (a) $9x + 5 \equiv 7 \pmod{13}$.
- (b) Prove that $3x + 12 \equiv 4 \pmod{21}$ does not have a solution.
- (c) The system of simultaneous equations $5x + 4y \equiv 0 \pmod{7}$ and $2x + y \equiv 4 \pmod{7}$.
- (d) $13^{2023} \equiv x \pmod{12}$.
- (e) $7^{62} \equiv x \pmod{11}$.

2 Short Answer: Modular Arithmetic

Note 6

For each subpart, show your work and justify your answers.

- (a) What is the multiplicative inverse of $n - 1$ modulo n ? (Your answer should be an expression that may involve n)
- (b) What is the solution to the equation $3x \equiv 6 \pmod{17}$?
- (c) Let $R_0 = 0; R_1 = 2; R_n = 4R_{n-1} - 3R_{n-2}$ for $n \geq 2$. Is $R_n \equiv 2 \pmod{3}$ for $n \geq 1$? (True or False)
- (d) Given that $(7)(53) - m = 1$, what is the solution to $53x + 3 \equiv 10 \pmod{m}$? (Answer should be an expression that is interpreted \pmod{m} , and shouldn't consist of fractions.)

3 Wilson's Theorem

Note 6

Wilson's Theorem states the following is true if and only if p is prime:

$$(p-1)! \equiv -1 \pmod{p}.$$

Prove both directions (it holds if AND only if p is prime).

Hint for the if direction: Consider rearranging the terms in $(p-1)! = 1 \cdot 2 \cdot \dots \cdot (p-1)$ to pair up terms with their inverses, when possible. What terms are left unpaired?

Hint for the only if direction: If p is composite, then it has some prime factor q . What can we say about $(p-1)! \pmod{q}$?

4 Celebrate and Remember Textiles

Note 6

You've decided to knit a 70-themed baby blanket as a gift for your cousin and want to incorporate rows from three different stitch patterns with the following requirements on the row lengths of each of the stitch patterns:

- Alternating Link: Multiple of 8, plus 3
- Double Helix: Multiple of 3, plus 1
- Crossover: Multiple of 7, plus 6

You want to be able to switch between knitting these different patterns without changing the number of stitches on the needle, so you must use a number of stitches that simultaneously meets the requirements of all three patterns.

Find the *smallest number of stitches* you need to cast on in order to incorporate all three patterns in your baby blanket.

5 Sparsity of Primes

Note 6

A prime power is a number that can be written as p^i for some prime p and some positive integer i . So, $9 = 3^2$ is a prime power, and so is $8 = 2^3$. $42 = 2 \cdot 3 \cdot 7$ is not a prime power.

Prove that for any positive integer k , there exists k consecutive positive integers such that none of them are prime powers.

Hint: This is a Chinese Remainder Theorem problem. We want to find n such that $(n+1)$, $(n+2)$, \dots , and $(n+k)$ are all not powers of primes. We can enforce this by saying that $n+1$ through $n+k$ each must have two distinct prime divisors. In your proof, you can choose these prime divisors arbitrarily.